

# **K43X**

**Product family** Hood **Product family** Hood

**Hood Type** Mounted on oven

Design Angled Design Chimney Extraction Recirculation

**Electronic control** Yes

Suitable for Convection ovens 435x320 mm

Material Stainless steel Type of steel Polished

EAN code 8017709305956

Hood width 60 cm



### **Aesthetics**

Colour Stainless steel Logo **Embossed** 

Components finishing Stainless steel

**Controls** 

Control setting Touch control back-lighted Led colour White

White

## **Technical Features**

No. of lights No. of filters 1 1 Light type **LED** Anti-grease filters Buffle Light power 1,1 W Charcoal filters included Yes Dimmer mode Yes Filter replacement Yes indicator

Light colour 4000 K

temperature scale (K)

Free outlet maximum

capacity

230 W Motor power

Vent outlet 150 mm 670 m<sup>3</sup>/h Non return valve Yes

### **Electrical Connection**

Nominal power Frequency (Hz) 232 W 50-60 Hz

220-240 V Voltage


**SMEG SPA** 30/11/2025



Power supply cable length

200

1500 mm



# **Logistic Information**

Width packed product 730 mm Depth packed product 730 mm Height packed product 370 mm Packed product 370x730x730 dimensions Gross weight (kg) Net weight

14,130

11,700 kg

SMEG SPA 30/11/2025



# **Compatible Accessories**

### FLT6

Round Charcoal filters (kit 2 pieces)



### **KITALLFC**

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

### **KITCMNKVX**

Chimney Extension in Stainless Steel for hood KV\*series

SMEG SPA 30/11/2025



# Symbols glossary



24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Charcoal filters: Extracting through charcoal filters or directly to the exterior lessens strong cooking odours considerably.



Warning light(s): to advise when filters need changing.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.



..

SMEG SPA 30/11/2025