

K43X

Product family Hood **Product family** Hood

Hood Type Mounted on oven

Design Angled Chimney Design Extraction Recirculation

Electronic control Yes

Suitable for Convection ovens 435x320 mm

Material Stainless steel Type of steel Polished Hood width 60 cm



150 mm

Aesthetics

Stainless steel **Embossed** Colour Logo

Components finishing Stainless steel

Controls

Touch control back-lighted White Control setting Led colour

White

Technical Features

No. of lights Charcoal filters included Yes 1 Light type **LED** No. of filters 1,1 W Filter replacement Yes Light power

indicator Dimmer mode Yes Vent outlet

Free outlet maximum 670 m³/h

capacity

Non return valve Yes Buffle Light colour 4000 K **Anti-grease filters** temperature scale (K)


Motor power 230 W

Electrical Connection

Nominal power 232 W Frequency (Hz) 50-60 Hz 220-240 V 1500 mm Voltage Power supply cable length

SMEG SPA 24/12/2025





Logistic Information

EAN code Packed product dimensions (WxDxH) 8017709305956 602x597x251 mm Net weight Gross weigh 11,700 kg 14,130 kg

SMEG SPA 24/12/2025



Compatible Accessories

FLT6

Round Charcoal filters (kit 2 pieces)



KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

KITCMNKVX

Chimney Extension in Stainless Steel for hood KV*series

SMEG SPA 24/12/2025



Symbols glossary



24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Charcoal filters: Extracting through charcoal filters or directly to the exterior lessens strong cooking odours considerably.



Warning light(s): to advise when filters need changing.



Intensive/turbo setting: when extra fast extraction is required.





Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

SMEG SPA 24/12/2025