

# K4610X

Product family	Professional hood
Subfamily	Condensation
Hood Type	Mounted on oven
Design	Angled
Tecnology	Suction and filtering hood
Extraction	Recirculation
Electronic control	Yes
Suitable for	Combined oven 5 trays GN1/1 ; Convection ovens 600x400 mm - GN1/1
Material	Stainless steel
Type of steel	Polished
EAN code	8017709314446
Hood width	80 cm




## Aesthetics

Colour	Stainless steel	Logo	Embossed
Components finishing	Stainless steel		

## Controls

Control setting	Touch control back-lighted White	Led color	White
-----------------	-------------------------------------	-----------	-------


## Technical Features



No. of lights	1	No. of filters	2
Light type	LED	Anti-grease filters	Buffle
Light Power	1,1 W	Charcoal filters included	Yes
Dimmer mode	Yes	Filter replacement indicator	Yes
Light color temperature scale (°K)	4000 °K	Vent outlet	150 mm
Free outlet maximum capacity	900 m³/h	Non return valve	Yes
Motor power	330 W		

## Electrical Connection

Voltage	220-240 V	Power supply cable length	1500 mm
Frequency (Hz)	50-60 Hz		



## Logistic Information

---

**Width packed product** 925 mm  
**Depth packed product** 925 mm  
**Height packed product** 370 mm

**Gross weight (kg)** 24,230  
**Net weight** 19,810 kg

## Compatible Accessories

---



### FLT6

Round Charcoal filters (kit 2 pieces)



### KITCMNKVX

Chimney Extension in Stainless Steel for hood KV\*series 300 mm\*200 mm + 500/850 mm











### KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

---

## Symbols glossary

---

 A square icon containing a circle with the number "24" inside.	24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.	 A square icon showing three horizontal lines with upward-pointing arrows above them and downward-pointing arrows below them.	Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.
 A square icon containing a clock face with a diagonal line through it.	Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.	 A square icon showing three horizontal lines with upward-pointing arrows above them.	Charcoal filters: Extracting through charcoal filters or directly to the exterior lessens strong cooking odours considerably.
 A square icon containing a light bulb with a small flame or spark above it.	Warning light(s): to advise when filters need changing.	 A square icon containing a simple light bulb.	Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.
 A square icon containing a circular arrow with the word "BOOST" written below it.	Intensive/turbo setting: when extra fast extraction is required.	 A square icon containing a light bulb with a small flame or spark above it.	Dimmering Lights