

KATE600EX

Product family Hood

Hood Type Chimney Cooker Hoods

Design T flat

Extraction Ducted out or re-circulation possible

Material Stainless steel

Type of steel Brushed

EAN code 8017709235130

Hood width 60 cm

Aesthetics Universal

Colour Stainless steel

Finishing Brushed

Serigraphy colour Black

Logo Silk screen



Controls

Control setting Buttons

Program / Functions

No. of speeds 3

Technical Features





No. of lights 2 No. of filters 2

Light typeLEDAnti-grease filtersAluminiumLight power2,5 WVent outlet150 mmLight colour3500 KMinimum distance from
650 mm

temperature scale (K)

Free outlet maximum 612 m³/h Minimum distance from 500 mm

capacity ELECTRIC hob

Motor power 175 W Non return valve Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dBA]
Speed 1	241	46
Speed 2	370	56

SMEG SPA 05/12/2025

GAS hob



Speed 3	590	67
------------	-----	----

Accessories Included

Tube reduction Yes

Performance / Energy Label

4	С	A"

Annual Efficiency 77 kWh/year Consumption (AEChood) Energy efficiency class (C EEC) Fluid Dynamic Efficiency 20,2 (FDE) Fluid Dynamic Efficiency C class (FDEC) Lighting Efficiency (LE) 76,1 lux/W Lighting Efficiency Class A (LEC) **Grease Filtering** 76 % Efficiency (GFE) **Grease Filtering** C Efficiency Class (GFEC) Air flow at minumum 240 m³/h speed (Qmin) Maximum extraction 581 m³/h rate

Airbourne acouistical A- 47 dBA weighted sound Power **Emission at minimum** speed (SPEmin) Airborne acoustical A-68 dBA weighted sound Power **Emission at maximum** speed (SPEmax) Time increase factor (F) 1.3 Measured air flow rate 336 m³/h at best efficiency point (Qbep) Measured air pressure 334 Pa at best efficiency point (Qbep) Measured electric 155 W power input at best efficiency point (Wbep) Normal Power of the 5 W light system (WI) Average illumination of 381 lux the light on the cooking surface (Emiddle)

Sound power level at

highest setting (Lwa)

68 dBA


Electrical Connection

Nominal power 180 W Frequency (Hz) 50-60 Hz Voltage 220-240 V Power supply cable 1500 mm length

Optional accessories

Charcoal filter KITFC900 - KITFC999 Chimney extension KITCMNKAT







Compatible Accessories



KITCMNKAT

Chimney extension dimension 241 * 231 * 810 T-shape hood KAT & KATE Stainless Steel



KITFC900

Charcoal filter Kit 1 piece high perfrmances washable



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

