

# KBTAU600XE

**Product family** Hood

**Hood Type** Decorative wall hood

Design T flat Extraction Extraction Yes **Electronic control** 

Material Stainless steel Type of steel Brushed

EAN code 8017709287894

Hood width 60 cm



#### **Aesthetics**

Universale **Aesthetic Finishing** Satin Colour Stainless steel Logo Silk screen

#### **Controls**

**Electronic buttons** Control setting

## **Programs / Functions**

No. of speeds Intensive speed

24h air filter function

Time-setting options







#### **Technical Features**









No. of lights 2 Light type LED **Light Power** 1.3 W

Light color temperature 3000 °K

scale (°K)

Anti-grease filters

Filter replacement

indicator

Vent outlet Minimum distance from

**GAS** hob

Aluminium Yes

150 mm

650 mm

**SMEG SPA** 5/05/2024



Free outlet maximum

820 m<sup>3</sup>/h

Minimum distance from ELECTRIC hob

500 mm

capacity

Motor power

230 W

Non return valve

Yes

No. of filters 2

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dB(A)]
Speed 1	260	49
Speed 2	358	57
Speed 3	473	64
Intensive speed	686	72

#### **Accessories Included**

Tube reduction Yes

## Performance / Energy Label

Annual Efficiency

53 kWh/a

Consumption (AEChood)

#### **Electrical Connection**


Plug (I) Australia Voltage 220-240 V Frequency (Hz)
Power supply cable

50-60 Hz 1500 mm

length

SMEG SPA 5/05/2024





SMEG SPA 5/05/2024



### Symbols glossary (TT)



24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Warning light(s): to advise when filters need changing.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.

SMEG SPA 5/05/2024