

KBTAU600XE

Product family Hood

Hood Type Decorative wall hood

T flat Design Extraction Extraction **Electronic control** Yes

Material Stainless steel Type of steel Brushed

EAN code 8017709287894

Hood width 60 cm **Aesthetic** Universale Colour Stainless steel

Finishing Satin Logo Silk screen



Controls

Control setting **Electronic buttons**

Program / Functions

No. of speeds Intensive speed

24h air filter function

Time-setting options







Technical Features







No. of lights 2 Light type LED **Light Power** 1.3 W 3000 K Light color temperature

scale (K)

Free outlet maximum 820 m³/h

capacity

230 W Motor power No. of filters 2

Anti-grease filters

Aluminium Filter replacement Yes

indicator

Vent outlet 150 mm Minimum distance from 650 mm

GAS hob

Minimum distance from

ELECTRIC hob

Non return valve

500 mm

Yes

SMEG SPA 30/11/2025



	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704- 2-13 [dBA]
Speed 1	260	49
Speed 2	358	57
Speed 3	473	64
Intensive speed	686	72

Accessories Included

Tube reduction Yes

Performance / Energy Label

Annual Efficiency 53 l Consumption (AEChood)

53 kWh/a

Electrical Connection

Voltage 220-240 V Power supply cable 1500 mm Frequency (Hz) 50-60 Hz length

Plug (I) Australia

SMEG SPA 30/11/2025



Symbols glossary



24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Warning light(s): to advise when filters need changing.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.

SMEG SPA 30/11/2025