

# KBTAU700XE

**Product family** Hood

**Hood Type** Decorative wall hood

T flat Design Extraction Extraction Yes **Electronic control** 

Material Stainless steel Type of steel Brushed

**EAN** code 8017709287870 **Aesthetic** Universale

Colour Stainless steel Satin

**Finishing** Logo Silk screen



#### **Controls**

Control setting **Electronic buttons** 

### **Program / Functions**

No. of speeds Intensive speed

24h air filter function

Time-setting options







#### **Technical Features**









No. of lights 2 Light type LED **Light Power** 1,3 W 3000 °K Light color temperature

scale (°K)

Free outlet maximum 610 m<sup>3</sup>/h

capacity

230 W Motor power No. of filters 2

Anti-grease filters

Aluminium Filter replacement Yes

indicator Vent outlet

Minimum distance from

**GAS** hob

Minimum distance from **ELECTRIC hob** 

150 mm

650 mm

500 mm

Non return valve Yes

**SMEG SPA** 3/08/2025



	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704- 2-13 [dBA]	
Speed 1	256	48	
Speed 2	347	55	
Speed 3	463	63	
Intensive speed	688	72	

#### **Accessories Included**


Tube reduction Yes

## Performance / Energy Label

Annual Efficiency 54 kWh/a Consumption (AEChood)

#### **Electrical Connection**

Plug	(I) Australia	Frequency (Hz)	50-60 Hz
Voltage	220-240 V	Power supply cable length	1500 mm



SMEG SPA 3/08/2025



## Symbols glossary



24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Warning light(s): to advise when filters need changing.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.

SMEG SPA 3/08/2025