# KBTU30AN

| | |
|---|---|
| **Product family** | Hood |
| **Hood Type** | Decorative wall hood |
| **Design** | Flat T-shaped |
| **Venting type** | Vented |
| **Electronic control** | Yes |
| **Material** | Stainless steel |
| **EAN code** | 8017709351502 |
| **Hood width** | 30 " |
| **Aesthetics** | Universal |
| **Color** | Matte Black |
| **Logo** | Embossed |



## Controls

| | |
|---|---|
| **Control setting** | Touch control back-lighted<br>White |

## Program / Functions

| | |
|---|---|
| **Speed levels** | 3 |
| **Intensive speed** | BOOST |
| **24h air replacement function** | 24 |
| **Time-setting options** | |

## Technical Features

| | |
|---|---|
| **No. of lights** | 2 |
| **Lighting** | LED |
| **Light power** | 1,3 W |
| **Dimmable light** | Yes |
| **Light color temperature scale (K)** | 3000 K |
| **Maximum extraction capacity at free mode** | 547.5 CFM |
| **Motor power** | 350 W |

| | |
|---|---|
| **No. of filters** | 3 |
| **Anti-grease filters** | Aluminum |
| **Filter replacement indicator** | Yes |
| **Vent outlet** | 5 7/8 " |
| **Minimum distance from gas cooktop** | 750 " |
| **Minimum distance from electric cooktop** | 650 " |
| **Non-return valve** | Yes |

| | | |
|---|---|---|
| | [] | [] |

## Accessories Included

| | |
|---|---|
| **Vent reduction** | Yes |

## Electrical Connection

| | | | |
|---|---|---|---|
| **Voltage** | 110-127 V | **Power supply cable length** | 1500 " |
| **Frequency (Hz)** | 60 Hz | **Plug** | (B) NEMA 5-15P |

## Also available

| | |
|---|---|
| **Available colors** | Matte White, Matte Black |



## Compatible Accessories



**KITCEKBTMB**



**KITFCKBTR**

One regenerable charcoal filter suitable for all KBTU* hood models. The filter is dishwasher-safe for up to 12 wash cycles and can be dried in an oven at a maximum temperature of 194°F for 60 minutes. Dimensions: 9 3/8" (H) × 9 5/8" × 3/8"



**KITFCKBT**

One charcoal filter compatible with KBTU* hood models

## Alternative products



**KBTU30MW**

**Color:** Stainless Steel



**KBTU30X**

**Color:** Stainless Steel

## Symbols glossary



24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Warning light(s): to advise when filters need changing.




Intensive/turbo setting: when extra fast extraction is required.



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Dimmering Lights



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.