

# KBTU30MW

|                    |                      |
|--------------------|----------------------|
| Product family     | Hood                 |
| Hood Type          | Decorative wall hood |
| Design             | T flat               |
| Extraction         | Extraction           |
| Electronic control | Yes                  |
| Material           | Stainless steel      |
| Type of steel      | Brushed              |
| EAN code           | 8017709351496        |
| Hood width         | 36 "                 |
| Aesthetic          | Universale           |
| Colour             | Stainless steel      |
| Finishing          | Satin                |
| Logo               | Embossed             |



## Controls

|                 |                                     |
|-----------------|-------------------------------------|
| Control setting | Touch control back-lighted<br>White |
|-----------------|-------------------------------------|

## Program / Functions

|                         |   |
|-------------------------|---|
| No. of speeds           | 3   |
| Intensive speed         |  |
| 24h air filter function |  |
| Time-setting options    |  |

## Technical Features



|                                   |           |                                    |           |
|-----------------------------------|-----------|------------------------------------|-----------|
| No. of lights                     | 2         | No. of filters                     | 3         |
| Light type                        | LED       | Anti-grease filters                | Aluminium |
| Light Power                       | 1,3 W     | Filter replacement indicator       | Yes       |
| Dimmer mode                       | Yes       | Vent outlet                        | 5 7/8 "   |
| Light color temperature scale (K) | 3000 K    | Minimum distance from GAS hob      | 750 "     |
| Free outlet maximum capacity      | 553.5 CFM | Minimum distance from ELECTRIC hob | 650 "     |
| Motor power                       | 350 W     | Non return valve                   | Yes       |

|  |   |   |
|--|---|---|
|  | □ | □ |
|--|---|---|

### Accessories Included

Tube reduction                      Yes

### Performance / Energy Label


Annual Efficiency Consumption (AEChood)                      54 kWh/year

### Electrical Connection

|                |           |                           |                |
|----------------|-----------|---------------------------|----------------|
| Voltage        | 110-127 V | Power supply cable length | 1500 "         |
| Frequency (Hz) | 60 Hz     | Plug                      | (B) NEMA 5-15P |

### Also available


Alternative colours available                      Matt white, Matt Black



---


## Compatible Accessories

---



### KITFCKBT

1 pcs di filtro a carboni attivi per i modelli di cappe KBT\* / KBCT\*



### KITFCKBTR

1 pcs of Charcoal filter Regenerable\* suitable for all the KBT/KBCT models.  
\* It can be washed in the dishwasher up to 12 times and dry in the oven at max 90° for 60 min. dimension 237,5(H)x245x10 mm

---

## Alternative products

---



**KBTU30X**

**Colour:** Stainless steel



**KBTU30AN**

**Colour:** Matt Black

---

## Symbols glossary

---

- |  |   |   |   |
|--|---|---|---|
|  | 24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level. |  | Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.       |
|  | Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.                        |  | Dimmering Lights  |
|  | Warning light(s): to advise when filters need changing.   |  | Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen. |
|  | Intensive/turbo setting: when extra fast extraction is required.  |   |   |