

KBTU30X

Product family

Hood Type	Decorative wall hood
Design	Flat T-shaped
Venting type	Vented
Electronic control	Yes
Material	Stainless steel
Stainless steel type	Brushed
EAN code	8017709351489
Hood width	30 "
Aesthetics	Universal
Color	Stainless steel
Finishing	Satin
Logo	Embossed



Controls

Control setting	Touch control back-lighted
	White


Program / Functions

Speed levels	3
Intensive speed	
24h air replacement function	
Time-setting options	

Technical Features



No. of lights	2	No. of filters	3
Lighting	LED	Anti-grease filters	Aluminum
Light power	1,3 W	Filter replacement indicator	Yes
Dimmable light	Yes	Vent outlet	5 7/8 "
Light color temperature scale (K)	3000 K	Minimum distance from gas cooktop	750 "
Maximum extraction capacity at free mode	553.5 CFM	Minimum distance from electric cooktop	650 "
Motor power	350 W	Non-return valve	Yes



Accessories Included


Vent reduction Yes

Electrical Connection

Voltage	110-127 V	Power supply cable length	1500 "
Frequency (Hz)	60 Hz	Plug	(B) NEMA 5-15P

Also available

Available colors Matte White, Matte Black Available colors KBTU30MW KBTU30AN




Compatible Accessories




KITCEKBT

Chimney extension, dimensions 261,5 * 260 * 830 mm suitable for T-shape hood KBT* & KBCT*, max height 1380 mm Stainless Steel



KITFCKBT

One charcoal filter compatible with KBTU* hood models



KITFCKBTR

One regenerable charcoal filter suitable for all KBTU* hood models. The filter is dishwasher-safe for up to 12 wash cycles and can be dried in an oven at a maximum temperature of 194°F for 60 minutes. Dimensions: 9 3/8" (H) x 9 5/8" x 3/8"

Alternative products

KBTU30MW



Color: Stainless steel

KBTU30AN



Color: Matte Black

Symbols glossary



24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Warning light(s): to advise when filters need changing.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.



Dimmering Lights