

## KBTU36AN

**Product family** Hood

**Hood Type** Decorative wall hood

T flat Design Extraction Extraction **Electronic control** Yes

Material Stainless steel Type of steel Brushed

EAN code 8017709351533

Hood width 36 " **Aesthetic** Universale Colour **Anthracite Embossed** Logo



#### **Controls**

Control setting Touch control back-lighted

White

553.5 CFM

350 W

### **Program / Functions**

No. of speeds Intensive speed

24h air filter function

Time-setting options







#### **Technical Features**









No. of lights 2 Light type LED **Light Power** 1,3 W Dimmer mode Yes Light color temperature 3000 K

scale (K)

Free outlet maximum

capacity

Motor power

No. of filters Anti-grease filters Aluminium Filter replacement Yes

indicator

Vent outlet 5 7/8 " Minimum distance from 750 "

650 "

GAS hob

Minimum distance from

**ELECTRIC hob** 

Non return valve Yes



0	0

### **Accessories Included**

**Tube reduction** 

Yes

## Performance / Energy Label

Annual Efficiency
Consumption (AEChood)

54 kWh/year

### **Electrical Connection**

Voltage

110-127 V

Frequency (Hz)

60 Hz

Power supply cable

length

Plug


(B) NEMA 5-15P

1500 "

#### Also available

Alternative colours availible

Matt white, Matt Black





# **Compatible Accessories**

FLT6U





KITCEKBTMB



# Alternative products

KBTU36MW

Colour: Matt White



KBTU36X

Colour: Stainless steel



## Symbols glossary



24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Warning light(s): to advise when filters need changing.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.



**Dimmering Lights**