

KBTU36AN




| | |
|--------------------|----------------------|
| Product family | Hood |
| Hood Type | Decorative wall hood |
| Design | T flat |
| Extraction | Extraction |
| Electronic control | Yes |
| Material | Stainless steel |
| Type of steel | Brushed |
| EAN code | 8017709351533 |
| Hood width | 36 " |
| Aesthetic | Universale |
| Colour | Anthracite |
| Logo | Embossed |



Controls

| | |
|-----------------|-------------------------------------|
| Control setting | Touch control back-lighted White |
|-----------------|-------------------------------------|

Program / Functions

| | |
|-------------------------|---|
| No. of speeds | 3 |
| Intensive speed |  |
| 24h air filter function |  |
| Time-setting options |  |

Technical Features



| | | | |
|-----------------------------------|-----------|------------------------------------|-----------|
| No. of lights | 2 | No. of filters | 3 |
| Light type | LED | Anti-grease filters | Aluminium |
| Light Power | 1,3 W | Filter replacement indicator | Yes |
| Dimmer mode | Yes | Vent outlet | 5 7/8 " |
| Light color temperature scale (K) | 3000 K | Minimum distance from GAS hob | 750 " |
| Free outlet maximum capacity | 553.5 CFM | Minimum distance from ELECTRIC hob | 650 " |
| Motor power | 350 W | Non return valve | Yes |

| | | |
|--|---|---|
| | □ | □ |
|--|---|---|

Accessories Included

Tube reduction Yes

Performance / Energy Label


Annual Efficiency Consumption (AEChood) 54 kWh/year

Electrical Connection

| | | | |
|----------------|-----------|---------------------------|----------------|
| Voltage | 110-127 V | Power supply cable length | 1500 " |
| Frequency (Hz) | 60 Hz | Plug | (B) NEMA 5-15P |

Also available


Alternative colours available Matt white, Matt Black



Compatible Accessories




KITCEKBTMB



KITFCKBT

1 pcs di filtro a carboni attivi per i modelli di cappe KBT* / KBCT*



KITFCKBTR

1 pcs of Charcoal filter Regenerable* suitable for all the KBT/KBCT models. * It can be washed in the dishwasher up to 12 times and dry in the oven at max 90° for 60 min. dimension 237,5(H)x245x10 mm

Alternative products



KBTU36MW

Colour: Matt White



KBTU36X

Colour: Stainless steel

Symbols glossary

- | | | | |
|--|---|---|---|
|  | 24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level. |  | Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking. |
|  | Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically. |  | Warning light(s): to advise when filters need changing. |
|  | Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen. |  | Intensive/turbo setting: when extra fast extraction is required. |
|  | Dimmering Lights | | |