

KBTU36AN

Product family Hood

Hood Type Decorative wall hood Flat T-shaped Design

Vented Extraction Yes **Electronic control**

Material Stainless steel Stainless steel type Brushed

EAN code 8017709351533

Hood width 36 " **Aesthetics** Universal Color **Anthracite Embossed** Logo



Controls

Control setting Touch control back-lighted

White

350 W

Program / Functions

Speed levels Intensive speed

24h air replacement function

Time-setting options







Technical Features









No. of lights 2 Lighting LED 1,3 W Light power Dimmable light Yes Light color temperature 3000 K

scale (K)

Maximum extraction 553.5 CFM

capacity at free mode

Motor power

No. of filters

Anti-grease filters

Filter replacement

indicator

Vent outlet Minimum distance from 750 "

gas cooktop

Minimum distance from

electric cooktop

Non-return valve

Aluminum

Yes

5 7/8 "

650 "

Yes

SMEG SPA 12/15/2025



0	0

Accessories Included

Vent reduction

Yes

Performance / Energy Label

Annual consumption

54 kWh/year

efficiency

Electrical Connection

Voltage 110-127 V 60 Hz

Frequency (Hz)

Power supply cable

length


Plug

1500 "

(B) NEMA 5-15P

Also available

Available colors Matt white, Matt Black



SMEG SPA 12/15/2025



Compatible Accessories

FLT6U





KITCEKBTMB

SMEG SPA 12/15/2025



Alternative products

KBTU36MW

Color: Matte white



KBTU36X

Color: Stainless steel

SMEG SPA 12/15/2025



Symbols glossary



24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



...



Warning light(s): to advise when filters need changing.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.

SMEG SPA 12/15/2025