

# KBTU36MW

<b>Product family</b>	Hood
<b>Hood Type</b>	Decorative wall hood
<b>Design</b>	Flat T-shaped
<b>Venting type</b>	Vented
<b>Electronic control</b>	Yes
<b>Material</b>	Painted material
<b>Stainless steel type</b>	Brushed
<b>EAN code</b>	8017709351526
<b>Hood width</b>	36 "
<b>Aesthetics</b>	Universal
<b>Color</b>	Matte White
<b>Logo</b>	Embossed



## Controls

<b>Control setting</b>	Touch control back-lighted White
------------------------	-------------------------------------


## Program / Functions

<b>Speed levels</b>	3
<b>Intensive speed</b>	
<b>24h air replacement function</b>	
<b>Time-setting options</b>	

## Technical Features



<b>No. of lights</b>	2	<b>No. of filters</b>	3
<b>Lighting</b>	LED	<b>Anti-grease filters</b>	Aluminum
<b>Light power</b>	1.3 W	<b>Filter replacement indicator</b>	Yes
<b>Dimmable light</b>	Yes	<b>Vent outlet</b>	5 7/8 "
<b>Light color temperature scale (K)</b>	3000 K	<b>Minimum distance from gas cooktop</b>	750 "
<b>Maximum extraction capacity at free mode</b>	553.5 CFM	<b>Minimum distance from electric cooktop</b>	650 "
<b>Motor power</b>	350 W	<b>Non-return valve</b>	Yes



## Accessories Included

Vent reduction Yes

## Performance / Energy Label


Annual consumption 54 kWh/year  
efficiency

## Electrical Connection

Voltage	110-127 V	Power supply cable length	1500 "
Frequency (Hz)	60 Hz	Plug	(B) NEMA 5-15P

## Also available

Available colors Matte White, Matte Black




## Compatible Accessories



**KITFCKBT**

One charcoal filter compatible with KBTU\* hood models



**KITFCKBTR**

One regenerable charcoal filter suitable for all KBTU\* hood models. The filter is dishwasher-safe for up to 12 wash cycles and can be dried in an oven at a maximum temperature of 194°F for 60 minutes. Dimensions: 9 3/8" (H) x 9 5/8" x 3/8"

---

## Alternative products

---



**KBTU36AN**

Color: Anthracite



**KBTU36X**

Color: Stainless steel

## Symbols glossary



24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Warning light(s): to advise when filters need changing.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.



Dimmering Lights