KBTU36X

Product family	Hood
Hood Type	Decorative wall hood
Design	Flat T-shaped
Venting type	Vented
Electronic control	Yes
Material	Stainless steel
Stainless steel type	Brushed
EAN code	8017709351519
Hood width	36 "
Aesthetics	Universal
Color	Stainless steel
Logo	Embossed



Controls

Control setting	Touch control back-lighted White

Program / Functions

Speed levels	3
Intensive speed	BOOST
24h air replacement function	24
Time-setting options	

Technical Features

No. of lights	2
Lighting	LED
Light power	1.3 W
Dimmable light	Yes
Light color temperature scale (K)	3000 K
Maximum extraction capacity at free mode	553.5 CFM
Motor power	350 W

No. of filters	3
Anti-grease filters	Aluminum
Filter replacement indicator	Yes
Vent outlet	5 7/8 "
Minimum distance from gas cooktop	750 "
Minimum distance from electric cooktop	650 "
Non-return valve	Yes

	[]	[]

Accessories Included


Vent reduction	Yes

Electrical Connection


Voltage	110-127 V	**Power supply cable length**	1500 "
Frequency (Hz)	60 Hz	**Plug**	(B) NEMA 5-15P

Also available

Available colors	Matte White, Matte Black




Compatible Accessories



KITFCKBT

One charcoal filter compatible with KBTU* hood models



KITFCKBTR

One regenerable charcoal filter suitable for all KBTU* hood models. The filter is dishwasher-safe for up to 12 wash cycles and can be dried in an oven at a maximum temperature of 194°F for 60 minutes. Dimensions: 9 3/8" (H) × 9 5/8" × 3/8"

Alternative products



KBTU36AN

Color: Anthracite



KBTU36MW

Color: Matte White

Symbols glossary



24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Dimmering Lights



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Warning light(s): to advise when filters need changing.



Intensive/turbo setting: when extra fast extraction is required.