

# KBTU48X

**Product family** Hood

**Hood Type** Decorative wall hood

T flat Design Extraction Extraction **Electronic control** Yes

Material Stainless steel Type of steel Brushed

EAN code 8017709351540

Hood width 48 " **Aesthetic** Universale Colour Stainless steel Embossed Logo



#### **Controls**

Control setting Touch control back-lighted

White

# **Program / Functions**

No. of speeds Intensive speed

24h air filter function

Time-setting options







### **Technical Features**









No. of lights 2 Light type LED **Light Power** 1,3 W Dimmer mode Yes Light color temperature

scale (K)

Free outlet maximum

capacity

Motor power

3000 K

553.5 CFM

230 W

No. of filters

Anti-grease filters

Filter replacement indicator

Vent outlet Minimum distance from

GAS hob

Minimum distance from

**ELECTRIC hob** 

650 "

Yes

5 7/8 "

750 "

Aluminium

Yes

Non return valve

**SMEG SPA** 2025-12-14



	0	0
Intensive speed	419.5	72

# **Accessories Included**

Tube reduction Yes


## **Electrical Connection**

 $\begin{tabular}{lll} Voltage & 110-127 \ V & Power supply cable & 1500 \ " \end{tabular}$ 

Frequency (Hz) 60 Hz length

## Also available

Alternative colours Matt white, Matt Black availible



SMEG SPA 2025-12-14



# **Compatible Accessories**

FLT6U





#### **KITCEKBT**

Chimney extension, dimensions 261,5 \* 260 \* 830 mm suitable for T-shape hood KBT\* & KBCT\*, max hight 1380 mm Stainless Steel

SMEG SPA 2025-12-14



# Symbols glossary



24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



**Dimmering Lights** 



Warning light(s): to advise when filters need changing.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.

SMEG SPA 2025-12-14