

KD61XE3

Product family

Hood

Hood Type

Chimney Cooker Hoods

Design

Chimney

Extraction

Ducted out or re-circulation possible

Material

Stainless steel

Type of steel

Brushed

EAN code

8017709345983

Hood width

60 cm

Aesthetics

Universal

Colour


Stainless steel

Finishing

Brushed

Logo

Embossed



Controls

Control setting Buttons

Program / Functions

No. of speeds

3

Technical Features



No. of lights

2

Light type

LED

Light power

4 W

Light colour

4000 K

temperature scale (K)

Free outlet maximum capacity

620 m³/h

Motor power

160 W

No. of filters

2

Anti-grease filters

Aluminium

Vent outlet

150 mm

Minimum distance from GAS hob

650 mm

Minimum distance from ELECTRIC hob

500 mm

	Extraction rate IEC 61591 [m ³ /h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	260	45
Speed 2	390	54

Speed 3	600	63
---------	-----	----

Accessories Included


Tube reduction Yes

Performance / Energy Label

 Annual Efficiency Consumption (AEChood)	79 kWh/year	Airbourne acoustical A- weighted sound Power	45 dBA
Energy efficiency class (EEC)		Emission at minimum speed (SPEmin)	
Fluid Dynamic Efficiency (FDE)	18.20	Airborne acoustical A- weighted sound Power	63 dBA
Fluid Dynamic Efficiency class (FDEC)	C	Emission at maximum speed (SPEmax)	
Lighting Efficiency (LE)	17 lux/W	Time increase factor (F)	1.3
Lighting Efficiency Class (LEC)	C	Energy Efficiency Index per first cavity	75.6
Grease Filtering Efficiency (GFE)	75.1 %	Measured air flow rate at best efficiency point (Qbep)	338 m ³ /h
Grease Filtering Efficiency Class (GFEC)	C	Measured air pressure at best efficiency point (Qbep)	300 Pa
Air flow at minimum speed (Qmin)	260 m ³ /h	Measured electric power input at best efficiency point (Wbep)	155 W
Maximum extraction rate	600 m ³ /h	Normal Power of the light system (WI)	8 W
		Average illumination of the light on the cooking surface (Emiddle)	133 lux
		Sound power level at highest setting (Lwa)	63 dBA

Electrical Connection

Nominal power	168 W	Power supply cable length	1500 mm
Voltage	220-240 V	Plug	No
Frequency (Hz)	50-60 Hz		





Compatible Accessories

KITFC152

Charcoal filters Round Kit 2 pieces



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.