


KD61XE3

Product family	Hood
Hood Type	Decorative wall hood
Design	Chimney
Extraction	Extraction
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709345983
Hood width	60 cm
Aesthetic	Universale
Colour	Stainless steel
Finishing	Satin
Logo	Embossed



Controls

Control setting Buttons

Program / Functions

No. of speeds 3

Technical Features



No. of lights	2	No. of filters	2
Light type	LED	Anti-grease filters	Aluminium
Light Power	4 W	Vent outlet	150 mm
Light color temperature scale (K)	4000 K	Minimum distance from GAS hob	650 mm
Free outlet maximum capacity	620 m ³ /h	Minimum distance from ELECTRIC hob	500 mm
Motor power	160 W		

	Extraction rate IEC 61591 [m ³ /h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	260	45
Speed 2	390	54

Speed 3	600	63
---------	-----	----

Accessories included


Tube reduction Yes

Performance / Energy Label

	Annual Efficiency Consumption (AEChood)	79 kWh/a	Airbourne acoustical A- weighted sound Power	45 dBA
	Energy efficiency class (EEC)	C	Emission at minimum speed (SPEmin)	
	Fluid Dynamic Efficiency (FDE)	18,20	Airborne acoustical A- weighted sound Power	63 dBA
	Fluid Dynamic Efficiency class (FDEC)	C	Emission at maximum speed (SPEmax)	
	Lighting Efficiency (LE)	17 lux/W	Time increase factor (F)	1,3
	Lighting Efficiency Class (LEC)	C	Energy Efficiency Index	75,6
	Grease Filtering Efficiency (GFE)	75,1 %	Measured air flow rate at best efficiency point (Qbep)	338 m ³ /h
	Grease Filtering Efficiency Class (GFEC)	C	Measured air pressure at best efficiency point (Pbep)	300 Pa
	Air flow at minimum speed (Qmin)	260 m ³ /h	Measured electric power input at best efficiency point (Wbep)	155 W
	Air flow at maximum speed (Qmax)	600 m ³ /h	Nominal Power consumption of the light system (WL)	8 W
			Average illumination of the light on the cooking surface (Emiddle)	133 lux
			Sound power level at highest setting (Lwa)	63 dBA

Electrical Connection

Electrical connection rating	168 W	Power supply cable length	1500 mm
Voltage	220-240 V	Plug	Not present
Frequency (Hz)	50-60 Hz		





Compatible Accessories

KITFC152

Charcoal filters Round Kit 2 pieces



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.