KD90XU



Product family	Hood
Hood Type	Decorative wall hood
Design	Chimney
Venting type	Vented
Material	Stainless steel
Stainless steel type	Brushed
EAN code	8017709115869
Hood width	36 "
Aesthetics	Classic
Color	Stainless Steel
Finishing	Satin
Silkscreen color	Black
Logo	Embossed

Controls

Control setting	Control knobs	**Control knobs**	Classic
No. of controls	2	**Controls color**	Stainless steel effect

Program / Functions

Speed levels	4


Technical Features

No. of lights	2	**No. of filters**	3
Lighting	Halogen	**Anti-grease filters**	Aluminum
Light power	20 W	**Vent outlet**	5 7/8 "
Light color temperature scale (K)	3000 K	**Minimum distance from gas cooktop**	650 "
Maximum extraction capacity at free mode	677 CFM	**Minimum distance from electric cooktop**	650 "
Motor power	455 W	**Non-return valve**	Yes

	Extraction rate [CFM]	Noise level [dBA]
Speed level 1	275.5	48
Speed 2	411.5	55
Speed 3	551	61
Speed level 4	665	69

Electrical Connection

Electrical connection rating	495 W	**Frequency (Hz)**	60 Hz
Voltage	120 V	**Power supply cable length**	1000 "



Compatible Accessories



FLT6U



KITCMNKD

Chimney extension dimension 202.8 * 276 * 800



KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.