

KD90XU

Product family Hood

Hood Type Decorative wall hood

DesignChimneyExtractionVented

MaterialStainless steelStainless steel typeBrushed

Stainless steel type Brushed

EAN code 8017709115869

Hood width 36 "
Aesthetics Classic

Color Stainless steel

Finishing Satin
Silkscreen color Black
Logo Embossed



Controls

Control setting Control knobs Control knobs Classic

No. of controls 2 Controls color Stainless steel effect

Program / Functions

Speed levels

Technical Features





Maximum extraction

No. of lights 2 No. of filters 3

LightingHalogenAnti-grease filtersAluminumLight power20 WVent outlet5 7/8 "Light color temperature3000 KMinimum distance from650 "

scale (K) gas cooktop

677 CFM Minimum distance from 650 "

capacity at free mode electric cooktop


Motor power 455 W Non-return valve Yes

	Extraction rate [CFM]	Noise level [dBA]
Speed level 1	275.5	48
Speed 2	411.5	55
Speed 3	551	61
Speed level 4	665	69



Electrical Connection

Electrical connection 495 W Frequency (Hz) 60 Hz rating Power supply cable 1000 " Voltage 120 V length





Compatible Accessories

FLT6U

276 * 800







KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

KITCMNKD
Chimney extension dimension 202.8 *



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.