

KI52E3

Product family	Hood
Hood Type	Canopy Cooker Hoods
Design	Fully integrated
Extraction	Ducted out or re-circulation possible
Material	Painted material
EAN code	8017709304362
Hood width	52 cm
Aesthetics	Universal
Colour	Silver
Serigraphy colour	Black
Logo	Silk screen



Controls

Control setting	Slider
-----------------	--------

Program / Functions

No. of speeds	3
---------------	---

Technical Features

			
No. of lights	2	No. of filters	1
Light type	LED	Anti-grease filters	Aluminium
Light power	4 W	Vent outlet	150 mm
Light colour	3000 K	Minimum distance from GAS hob	650 mm
Free outlet maximum capacity	350 m³/h	Minimum distance from ELECTRIC hob	500 mm
Motor power	115 W		

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	160	54
Speed 2	220	59

Speed 3	335	66
------------	-----	----

Accessories Included

Tube reduction	Yes
----------------	-----

Performance / Energy Label



Annual Efficiency Consumption (AEC_{hood}) 59 kWh/year

Energy efficiency class (EEC) C

Fluid Dynamic Efficiency (FDE) 13,1

Fluid Dynamic Efficiency class (FDEC) D

Lighting Efficiency (LE) 13 lux/W

Lighting Efficiency Class (LEC) D

Grease Filtering Efficiency (GFE) 75,1 %

Grease Filtering Efficiency Class (GFEC) C

Air flow at minimum speed (Q_{min}) 160 m³/h

Maximum extraction rate 335 m³/h

Airborne acoustical A-weighted sound Power Emission at minimum speed (SPE_{min}) 54 dBA

Airborne acoustical A-weighted sound Power Emission at maximum speed (SPE_{max}) 66 dBA

Time increase factor (F) 1,5

Energy Efficiency Index per first cavity 80,6

Measured air flow rate at best efficiency point (Q_{bep}) 153 m³/h

Measured air pressure at best efficiency point (Q_{bep}) 196 Pa

Measured electric power input at best efficiency point (W_{bep}) 103 W

Normal Power of the light system (W_I) 8 W


Average illumination of the light on the cooking surface (E_{middle}) 100 lux

Sound power level at highest setting (L_{wa}) 66 dBA

Electrical Connection

Nominal power	103 W
Voltage	220-240 V
Frequency (Hz)	50 Hz

Power supply cable length	1000 mm
Plug	UK 13 AMP



Compatible Accessories

KITFC6191

Charcoal filter round (kit 2 pieces)



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.