

# KI52E3

Product family	Hood
Hood Type	Canopy Cooker Hoods
Design	Fully integrated
Extraction	Ducted out or re-circulation possible
Material	Painted material
EAN code	8017709304362
Aesthetics	Universal
Colour	Silver
Serigraphy colour	Black
Logo	Silk screen




## Controls

Control setting	Slider
-----------------	--------

## Program / Functions

No. of speeds	3
---------------	---

## Technical Features



<b>No. of lights</b>	2	<b>No. of filters</b>	1
<b>Light type</b>	LED	<b>Anti-grease filters</b>	Aluminium
<b>Light power</b>	4 W	<b>Vent outlet</b>	150 mm
<b>Light colour temperature scale (°K)</b>	3000 °K	<b>Minimum distance from GAS hob</b>	650 mm
<b>Free outlet maximum capacity</b>	350 m <sup>3</sup> /h	<b>Minimum distance from ELECTRIC hob</b>	500 mm
<b>Motor power</b>	115 W		

	Extraction rate IEC 61591 [m <sup>3</sup> /h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	160	54
Speed 2	220	59

Speed 3	335	66
------------	-----	----

## Accessories Included

Tube reduction Yes


## Performance / Energy Label



Annual Efficiency Consumption (AEChood)	59 KWh/year	Airbourne acoustical A-weighted sound Power Emission at minimum speed (SPEmin)	54 dBA
Energy efficiency class (EEC)	C	Airborne acoustical A-weighted sound Power Emission at maximum speed (SPEmax)	66 dBA
Fluid Dynamic Efficiency (FDE)	13,1	Time increase factor (F)	1,5
Fluid Dynamic Efficiency class (FDEC)	D	Energy Efficiency Index per first cavity	80,6
Lighting Efficiency (LE)	13 lux/W	Measured air flow rate at best efficiency point (Qbep)	153 m³/h
Lighting Efficiency Class (LEC)	D	Measured air pressure at best efficiency point (Qbep)	196 Pa
Grease Filtering Efficiency (GFE)	75,1 %	Measured electric power input at best efficiency point (Wbep)	103 W
Grease Filtering Efficiency Class (GFEC)	C	Normal Power of the light system (WI)	8 W
Air flow at minumum speed (Qmin)	160 m³/h	Average illumination of the light on the cooking surface (Emiddle)	100 lux
Maximum extraction rate	335 m³/h	Sound power level at highest setting (Lwa)	66 dBA

## Electrical Connection

Plug	UK 13 AMP	Frequency (Hz)	50 Hz
Nominal power	103 W	Power supply cable length	1000 mm
Voltage	220-240 V		



---

## Compatible Accessories

---

**KITFC6191**

Charcoal filter round (kit 2 pieces)



## Symbols glossary

---



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.