KI52E3

Product family	Hood
Hood Type	Canopy Cooker Hoods
Design	Fully integrated
Extraction	Ducted out or re-circulation possible
Material	Painted material
EAN code	8017709304362
Hood width	52 cm
Aesthetics	Universal
Colour	Silver
Serigraphy colour	Black
Logo	Silk screen



Controls

Control setting	Slider

Program / Functions

No. of speeds	3

Technical Features

No. of lights	2	**No. of filters**	1
Light type	LED	**Anti-grease filters**	Aluminium
Light power	4 W	**Vent outlet**	150 mm
Light colour temperature scale (K)	3000 K	**Minimum distance from GAS hob**	650 mm
Free outlet maximum capacity	350 m³/h	**Minimum distance from ELECTRIC hob**	500 mm
Motor power	115 W		

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	160	54
Speed 2	220	59

Speed 3	335	66

Accessories Included

Tube reduction	Yes

Performance / Energy Label




Annual Efficiency Consumption (AEChood)	59 kWh/year
Energy efficiency class (EEC)	C
Fluid Dynamic Efficiency (FDE)	13,1
Fluid Dynamic Efficiency class (FDEC)	D
Lighting Efficiency (LE)	13 lux/W
Lighting Efficiency Class (LEC)	D
Grease Filtering Efficiency (GFE)	75,1 %
Grease Filtering Efficiency Class (GFEC)	C
Air flow at minumum speed (Qmin)	160 m³/h
Maximum extraction rate	335 m³/h

Airbourne acouistical A-weighted sound Power Emission at minimum speed (SPEmin)	54 dBA
Airborne acoustical A-weighted sound Power Emission at maximum speed (SPEmax)	66 dBA
Time increase factor (F)	1,5
Energy Efficiency Index per first cavity	80,6
Measured air flow rate at best efficiency point (Qbep)	153 m³/h
Measured air pressure at best efficiency point (Qbep)	196 Pa
Measured electric power input at best efficiency point (Wbep)	103 W
Normal Power of the light system (WI)	8 W
Average illumination of the light on the cooking surface (Emiddle)	100 lux
Sound power level at highest setting (Lwa)	66 dBA

Electrical Connection

Nominal power	103 W
Voltage	220-240 V
Frequency (Hz)	50 Hz

Power supply cable length	1000 mm
Plug	UK 13 AMP


14
494
14
219
Ø150
35
12
47.5°
174
5
15
256
15
197.6
107.5
R75
220.7
46
83
5
256
497
6
55
97.5
286
176
55
Ø120
Ø150
7
114
114
522

Compatible Accessories



KITFC6191

Charcoal filter round (kit 2 pieces)

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

