

# KI52E3

Product family	Hood
Hood Type	Integrated hood
Design	Fully integrated
Extraction	Extraction
Material	Painted material
EAN code	8017709304362
Aesthetic	Universale
Colour	Silver
Serigraphy colour	Black
Logo	Silk screen



## Controls

Control setting	Slider
-----------------	--------

## Program / Functions

No. of speeds	3
---------------	---

## Technical Features

			
No. of lights	2	No. of filters	1
Light type	LED	Anti-grease filters	Aluminium
Light Power	4 W	Vent outlet	150 mm
Light color temperature scale (°K)	3000 °K	Minimum distance from GAS hob	650 mm
Free outlet maximum capacity	350 m³/h	Minimum distance from ELECTRIC hob	500 mm
Motor power	115 W		

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	160	54
Speed 2	220	59

Speed 3	335	66
------------	-----	----

## Accessories included

Tube reduction	Yes
----------------	-----

## Performance / Energy Label




Annual Efficiency Consumption (AEChood)	59 kWh/a
Energy efficiency class (EEC)	C
Fluid Dynamic Efficiency (FDE)	13,1
Fluid Dynamic Efficiency class (FDEC)	D
Lighting Efficiency (LE)	13 lux/W
Lighting Efficiency Class (LEC)	D
Grease Filtering Efficiency (GFE)	75,1 %
Grease Filtering Efficiency Class (GFEC)	C
Air flow at minumum speed (Qmin)	160 m³/h
Air flow at maximum speed (Qmax)	335 m³/h

Airbourne acouistical A-weighted sound Power Emission at minimum speed (SPEmin)	54 dBA
Airborne acoustical A-weighted sound Power Emission at maximum speed (SPEmax)	66 dBA
Time increase factor (F)	1,5
Energy Efficiency Index	80,6
Measured air flow rate at best efficiency point (Qbep)	153 m³/h
Measured air pressure at best efficiency point (Pbep)	196 Pa
Measured electric power input at best efficiency point (Wbep)	103 W
Nominal Power consumption of the light system (WL)	8 W
Average illumination of the light on the cooking surface (Emiddle)	100 lux
Sound power level at highest setting (Lwa)	66 dBA

## Electrical Connection

Plug	UK 13 AMP	Frequency (Hz)	50 Hz
Electrical connection rating	103 W	Power supply cable length	1000 mm
Voltage	220-240 V		



---

## Compatible Accessories

---

**KITFC6191**

Charcoal filter round (kit 2 pieces)



---

## Symbols glossary

---



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.