

## **KI52E3**

**Product family** Hood

**Hood Type** Integrated hood Design Fully integrated Extraction Extraction

Material Painted material **EAN** code 8017709304362

Hood width 52 cm **Aesthetic** Universale Colour Silver Serigraphy colour Black Logo Silk screen



## **Controls**

Control setting Slider

# **Program / Functions**

No. of speeds 3

### **Technical Features**





Motor power

No. of filters No. of lights

LED **Anti-grease filters** Aluminium Light type 150 mm **Light Power** 4 W Vent outlet Light color temperature 3000 K Minimum distance from 650 mm

**GAS** hob scale (K)

115 W

Free outlet maximum 350 m<sup>3</sup>/h Minimum distance from 500 mm

**ELECTRIC hob** capacity

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dBA]
Speed 1	160	54
Speed 2	220	59



Speed 3	335	66
------------	-----	----

### Accessories included

Tube reduction Yes

## Performance / Energy Label

1	A.
١.	Ţ

**Annual Efficiency** 59 kWh/a Consumption (AEChood) Energy efficieency class C (EEC) Fluid Dynamic Efficiency 13,1 (FDE) Fluid Dynamic Efficiency D class (FDEC) Lighting Efficiency (LE) 13 lux/W Lighting Efficiency Class D (LEC) **Grease Filtering** 75,1% Efficiency (GFE) **Grease Filtering** С Efficiency Class (GFEC) Air flow at minumum 160 m<sup>3</sup>/h speed (Qmin) Air flow at maximum 335 m<sup>3</sup>/h speed (Qmax)

Airbourne acouistical A- 54 dBA weighted sound Power **Emission at minimum** speed (SPEmin) Airborne acoustical A-66 dBA weighted sound Power **Emission at maximum** speed (SPEmax) Time increase factor (F) 1,5 **Energy Efficiency Index** 80.6 Measured air flow rate 153 m<sup>3</sup>/h at best efficiency point (Qbep) Measured air pressure 196 Pa at best efficiency point (Pbep) Measured electric 103 W power input at best efficiency point (Wbep) Nominal Power 8 W consumption of the light system (WL) Average illumination of 100 lux the light on the cooking

Sound power level at 66 dBA highest setting (Lwa)

surface (Emiddle)

#### **Electrical Connection**

Electrical connection 103 W

rating


Voltage 220-240 V Frequency (Hz) 50 Hz Power supply cable

length

Plug UK 13 AMP

1000 mm







# **Compatible Accessories**

#### **KITFC6191**

Charcoal filter round (kit 2 pieces)





## Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.





Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.