

KI90XT

Product family Hood

Hood Type Decorative island hood

DesignT flatExtractionExtractionElectronic controlYes

MaterialStainless steelType of steelBrushed

EAN code 8017709226053

Hood width 90 cm



Aesthetics

AestheticUniversaleFinishingSatinColourStainless steelLogoEmbossed

Controls

Control setting Electronic buttons Led color White

Programme / Functions

No. of speeds Intensive speed

Time-setting options



No. of filters

indicator

Anti-grease filters

Filter replacement

3

Yes

Aluminium

Technical Features



No. of lights 4
Light type Halogen
Light Power 20 W
Free outlet maximum 800 m³/h

capacityVent outlet150 mmMotor power250 WNon return valveYes



	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dB(A)]
Speed 1	231	36
Speed 2	435	57
Speed 3	600	65
Intensive speed	788	72

Electrical Connection


PlugNot presentFrequency (Hz)60 HzElectrical connection330 WPower supply cable1500 mm

length

rating Voltage 120 V

Optional accessories

Charcoal filter FLT6





Not included accessories

FLT6



Round Charcoal filters (kit 2 pieces)



KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes



Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Warning light(s): to advise when filters need changing.



Intensive/turbo setting: when extra fast extraction is required.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.