

KI90XT

Product family Hood

Hood Type Decorative island hood

Design T flat Extraction Extraction **Electronic control** Yes

Stainless steel Material Type of steel Brushed

EAN code 8017709226053

Hood width 90 cm **Aesthetic** Universale Colour Stainless steel

Satin **Finishing** Logo **Embossed**



Controls

Led color White Control setting **Electronic buttons**

Program / Functions

No. of speeds Intensive speed

Time-setting options





Technical Features







No. of lights

No. of filters 3 Light type Halogen **Anti-grease filters** Aluminium

20 W **Light Power** Filter replacement Yes

indicator

Free outlet maximum 800 m³/h

capacity Vent outlet 150 mm Motor power 250 W Non return valve Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704- 2-13 [dBA]
Speed 1	231	36
Speed 2	435	57
Speed 3	600	65

SMEG SPA 16/11/2025



Intensive 788 72

Electrical Connection

Electrical connection 330 W Power supply cable 1500 mm


rating

length Voltage 120 V Plug Not present

Frequency (Hz) 60 Hz

Optional accessories

Charcoal filter FLT6



SMEG SPA 16/11/2025



Compatible Accessories

FLT6

Round Charcoal filters (kit 2 pieces)





KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

SMEG SPA 16/11/2025



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Warning light(s): to advise when filters need changing.



Intensive/turbo setting: when extra fast extraction is required.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

SMEG SPA 16/11/2025