

KL F03GOEU

Category	Pequeno-almoço
Product Family	Kettles
Type	Chaleira Standard
Versão do país	EU
EAN code	8017709275334

Aesthetics

Aesthetic	Estilo anos '50	Body material	Stainless steel
Colour	Gold	Base material	Plastic
Acabamento	Brilhante	Lid material	Stainless steel
Lid colour	Gold	Spout material	Stainless steel
Base color	Polished chrome	Handle material	Plastic
Handle colour	Chrome	Temperature display	No
Spout color	Polished steel	LED	
Cable colour	Grey	Type of logo	Applied

Controls

Type of controls	Lever	Lever material	Stainless steel
------------------	-------	----------------	-----------------

Technical Features

Max capacity	1.7lt / 7 cups	Safety auto shut off	Yes
Water level indicator	Yes	Blacklit controls	No
Lid opening	Soft Opening	Acoustic alarm	No
Filtro	Yes	Concealed heating element	Yes
Filter material	Stainless steel	Built-in cord wrap	Yes
Escala de calcário	Sim	Antislip feet	Yes
Removível	Sim	360° swivel base	Yes
Auto switch off	Yes, at 100°C		

Program / Functions

Temperature control	No
Keep warm	No
Control lock	No

Electrical Connection

Plug	(F;E) Schuko	Frequency (Hz)	50/60 Hz
Power	2400 W	Power supply cable length	1 m
Voltage	220-240 V		

Logistic Information

Width	226mm	Depth packaged (mm)	228 mm
Product width	171mm	Height packaged (mm)	260 mm
Product height	248mm	Largura do produto embalado (in)	10.75 "
Dimensions of the product HxWxD (mm)	248x226x171 mm	Profundidade do produto embalado (in)	8.98 "
Largura da caixa	267 mm	Altura do produto embalado (in)	10.24 "
Profundidade da caixa	222 mm	Net weight (kg)	1,600 kg
Altura da caixa	252 mm	Gross weight (kg)	2,400 kg
Width (mm) packaged	273 mm		

Alternative products



KLF03WHEU
White



KLF03PGEU
Pastel green



KLF03RDEU
Red



KLF03SSEU
Steel



KLF03EGMEU
Verde esmeralda



KLF03PKEU
Pink



KLF03DGEU
Decorated / Special



KLF03PBEU
Pastel blue



KLF03BLEU
Black



KLF03CREU
Cream

Benefit (TT)

Maximum capacity KLF

1.7L capacity, allowing you to prepare up to 7 cups, perfect for any occasion

Gentle lid opening with "Soft Opening" system and removable, washable stainless steel limescale filter

Automatic kettle shut-off when reaching 100°C / 212°F

360° swivel base allowing the kettle to be placed in any position