

# KLTI9L4X

**Product family** Hood

**Hood Type** Island Cooker Hoods

T flat Design

Extraction Ducted out or re-circulation possible

**Electronic control** Yes

Material Stainless Steel + Glass

Type of steel Brushed

EAN code 8017709312268

Hood width 90 cm **Aesthetics** Universal

Colour Stainless Steel and Glass

**Finishing** Brushed Glass Type Black Logo Silk screen



### **Controls**

Control setting Touch control back-lighted Led colour White

White

### **Program / Functions**

No. of speeds Intensive speed

24h air filter function

Time-setting options

Auto-Vent 2.0









### **Technical Features**











No. of lights 2 LED Light type Light power 7.4 W Dimmer mode Yes

Light colour

temperature range

Free outlet maximum

capacity

2700 - 4000 K

820 m<sup>3</sup>/h

Motor power 275 W No. of filters

Anti-grease filters

Filter replacement

indicator Vent outlet

Minimum distance from

GAS hob

Minimum distance from

**ELECTRIC hob** 

650 mm

150 mm

750 mm

Aluminium

Yes

Non return valve

Yes

**SMEG SPA** 01/12/2025



	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704- 2-13 [dBA]
Speed 1	214	40
Speed 2	334	51
Speed 3	563	64
Intensive speed	741	70

### Accessories Included

Tube reduction Yes

### Performance / Energy Label

	A****
	7
	Ď

**Annual Efficiency** 56 kWh/year Consumption (AEChood) Energy efficiency class ( A Fluid Dynamic Efficiency 33.1 (FDE) Fluid Dynamic Efficiency A class (FDEC) Lighting Efficiency (LE) 21.1 lux/W Lighting Efficiency Class B (LEC) (SPEboost) **Grease Filtering** 73.2 % Efficiency (GFE) **Grease Filtering** Efficiency Class (GFEC) Air flow at minumum 214 m<sup>3</sup>/h (Qbep) speed (Qmin) Maximum extraction 563 m<sup>3</sup>/h rate (Qbep) Intensive extraction rate 741 m<sup>3</sup>/h

Airbourne acouistical A- 39 dBA weighted sound Power **Emission at minimum** speed (SPEmin) Airborne acoustical A-65 dBA weighted sound Power **Emission at maximum** speed (SPEmax) Airbourne acoustical A- 70 dBA weighted sound power emission at boost speed **Energy Efficiency Index** 51.6 per first cavity Measured air flow rate 384 m<sup>3</sup>/h at best efficiency point Measured air pressure 482 Pa at best efficiency point Measured electric 155 W power input at best efficiency point (Wbep) Normal Power of the 15 W light system (WI) Average illumination of 390 lux the light on the cooking surface (Emiddle) Sound power level at 65 dBA highest setting (Lwa)

### **Electrical Connection**

Nominal power 293 W 50-60 Hz Frequency (Hz) Voltage 220-240 V Power supply cable 1500 mm length

**SMEG SPA** 01/12/2025




## Also available

Alternative colours availible

Matte Black

Available colours

KLTI9L4MB



SMEG SPA 01/12/2025



## **Compatible Accessories**



#### **KITALLFC**

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes



#### **KITFCKBT**

1 pcs of activated carbon filter for hood models KBT\* / KBCT\*

#### **KITFCKBTR**



1 pcs of Charcoal filter Regenerable\* suitable for all the KBT/KBCT models. \* It can be washed in the dishwasher up to 12 times and dry in the oven at max 90° for 60 min. dimension 237,5(H)x245x10 mm

SMEG SPA 01/12/2025



## Symbols glossary



24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



A: Product drying performance, measured from A+++ to D / G depending on the product family



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Warning light(s): to advise when filters need changing.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.



Connection between hob and hood



...



---

SMEG SPA 01/12/2025