

# KPF30UAN

|                      |                      |
|----------------------|----------------------|
| Product family       | Hood                 |
| Hood Type            | Decorative wall hood |
| Design               | Chimney              |
| Venting type         | Vented               |
| Material             | Stainless steel      |
| Stainless steel type | Brushed              |
| EAN code             | 8017709261764        |
| Hood width           | 30 "                 |
| Aesthetics           | Portofino            |
| Color                | Anthracite           |
| Silkscreen color     | Silver               |
| Logo                 | Applied              |





## Controls

|                 |               |                |                        |
|-----------------|---------------|----------------|------------------------|
| Control setting | Control knobs | Control knobs  | Portofino              |
| No. of controls | 2             | Controls color | Stainless steel effect |

## Program / Functions

|              |   |
|--------------|---|
| Speed levels | 4 |
|--------------|---|

## Technical Features

|  |   |  |                 |
|--|---|--|-----------------|
|  |  |  |                 |
| No. of lights  | 2   | No. of filters                         | 3               |
| Lighting   | LED   | Anti-grease filters                    | Stainless steel |
| Light power  | 2 W   | Vent outlet                            | 5 7/8 "         |
| Light color temperature scale (K)  | 4000 K  | Minimum distance from gas cooktop      | 750 "           |
| Maximum extraction capacity at free mode   | 577 CFM   | Minimum distance from electric cooktop | 650 "           |
| Motor power  | 455 W   | Non-return valve                       | Yes             |

|               | Extraction rate [CFM] | Noise level [dBA] |
|---------------|-----------------------|-------------------|
| Speed level 1 | 210.5                 | 53                |
| Speed 2       | 317                   | 62                |
| Speed 3       | 437.5                 | 69                |
| Speed level 4 | 573.5                 | 75                |

Electrical Connection


|                              |       |                           |        |
|------------------------------|-------|---------------------------|--------|
| Electrical connection rating | 495 W | Power supply cable length | 1000 " |
| Voltage                      | 120 V | Plug                      | No     |
| Frequency (Hz)               | 60 Hz |                           |        |

Also available

|                  |  |                  |                            |
|------------------|--|------------------|----------------------------|
| Available colors | White, Black, Anthracite, Yellow, Green, Red, Orange | Available colors | KPF30UWH-BL-AN-YW-OG-RD-OR |
|------------------|--|------------------|----------------------------|

Optional accessories

|                 |        |
|-----------------|--------|
| Charcoal filter | FLTK-1 |
|-----------------|--------|



---

## Compatible Accessories

---

**FLT6U**



**KITALLFC**

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

---

## Symbols glossary

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.