

KPF30UWH

Product family Hood

Hood Type Decorative wall hood

Design Chimney Extraction Vented

Material Stainless steel

Stainless steel type Brushed

EAN code 8017709261818

AestheticsPortofinoColorWhiteSilkscreen colorSilverLogoApplied



Controls

Control setting Control knobs Control knobs Portofino

No. of controls 2 Controls color Stainless steel effect

Program / Functions

Speed levels

Technical Features

~Ö*

Lighting

No. of lights

Maximum extraction

2 No. of filters 3
LED Anti-grease filters Stainless steel

Light power 2 W Vent outlet 5 7/8 "
Light color temperature 4000 °K Minimum distance from 750 "

Light color temperature 4000 °K Minimum dis scale (°K) gas cooktop

577.5 CFM Minimum distance from 650 "

capacity at free mode electric cooktop

Motor power 455 W Non-return valve Yes

	Extraction rate [CFM]	Noise level [dBA]
Speed level 1	210.5	53
Speed 2	317	62
Speed 3	437.5	69
Speed level 4	573.5	75



Electrical Connection

Electrical connection

rating

Voltage

495 W

120 V

Frequency (Hz)
Power supply cable

length

60 Hz 1000 "

Also available

Available colors

White, Black, Anthracite, Yellow, Green, Red, Orange **Available colors**


KPF30UWH-BL-AN-YW-


OG-RD-OR


Optional accessories

Charcoal filter

FLTK-1









Compatible Accessories

FLT6U





KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.