

KPF30UX

Product family Hood

Hood Type Decorative wall hood

Design Chimney Extraction Extraction

Material Stainless Steel + Painted Material

Type of steel Brushed

EAN code 8017709261825

Hood width 30 " **Aesthetic** Portofino Stainless steel Colour

Serigraphy colour Silver Logo **Applied**



650 "

Controls

Control knobs **Control knobs** Portofino Control setting No. of controls Controls colour Steel effect 2

Program / Functions

No. of speeds 4

Technical Features



No. of filters No. of lights 2 3

Light type **LED** Anti-grease filters Stainless steel

5 7/8 " **Light Power** 2 W Vent outlet Minimum distance from 750 " Light color temperature 4000 K

GAS hob scale (K)

577.5 CFM Minimum distance from

Free outlet maximum **ELECTRIC hob** capacity

455 W Non return valve Motor power Yes

	Extraction rate IEC 61591 [CFM]	Noise level IEC 60704-2- 13 [dBA]
Speed 1	210.5	53
Speed 2	186.5	62

SMEG SPA 2025-12-13



Speed 3	437.5	69
Speed 4	573.5	75

Electrical Connection

Electrical connection rating

n

495 W

120 V

Frequency (Hz)
Power supply cable

length

60 Hz

1000 "

Also available

Voltage

Alternative colours availible

White, Black, Anthracite, Yellow, Green, Red, Orange **Available colours**


KPF30UWH-BL-AN-YW-


OG-RD-OR


Optional accessories

Charcoal filter

FLTK-1







SMEG SPA 2025-12-13



Compatible Accessories

FLT6U





KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

SMEG SPA 2025-12-13



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

SMEG SPA 2025-12-13