

KPF36UBL

Product family	Hood
Hood Type	Decorative wall hood
Design	Chimney
Extraction	Vented
Material	Stainless steel
Stainless steel type	Brushed
EAN code	8017709246242
Hood width	36 "



Aesthetic

Aesthetics	Portofino	Silkscreen color	Silver
Color	Black	Logo	Applied



Controls

Control setting	Control knobs	Control knobs	Portofino
No. of controls	2	Controls color	Stainless steel effect

Programs / Functions

Speed levels	4
--------------	---

Technical Features

			
No. of lights	2	No. of filters	3
Lighting	LED	Anti-grease filters	Stainless steel
Light power	2 W	Vent outlet	5 7/8 "
Light color temperature scale (°K)	4000 °K	Minimum distance from gas cooktop	750 "
Maximum extraction capacity at free mode	577.5 CFM	Minimum distance from electric cooktop	650 "
Motor power	455 W	Non-return valve	Yes

	Extraction rate [CFM]	Noise level [dBA]
Speed level 1	210.5	53
Speed 2	317	62
Speed 3	437.5	69
Speed level 4	573.5	75

Electrical Connection


Electrical connection rating	495 W	Frequency (Hz)	60 Hz
Voltage	120 V	Power supply cable length	1000 "

Also available

Available colors	White, Stainless steel, Anthracite, Yellow, Green, Red, Orange	Available colors	KPF36UWH-X-AN-YW-OG-RD-OR
------------------	----------------------------------------------------------------	------------------	---------------------------

Optional accessories

Charcoal filter	FLTK-1
-----------------	--------



Not included accessories



FLTK-1

Round Charcoal filters (kit 2 pieces)



KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.