

# KPF36UOG

Product family	Hood
Hood Type	Decorative wall hood
Design	Chimney
Extraction	Vented
Material	Stainless steel
Stainless steel type	Brushed
EAN code	8017709246280
Aesthetics	Portofino
Color	Green
Silkscreen color	Silver
Logo	Applied





## Controls

Control setting	Control knobs	Control knobs	Portofino
No. of controls	2	Controls color	Stainless steel effect

## Program / Functions

Speed levels	4
--------------	---

## Technical Features

			
No. of lights	2	No. of filters	3
Lighting	LED	Anti-grease filters	Stainless steel
Light power	2 W	Vent outlet	5 7/8 "
Light color temperature scale (°K)	4000 °K	Minimum distance from gas cooktop	750 "
Maximum extraction capacity at free mode	577.5 CFM	Minimum distance from electric cooktop	650 "
Motor power	455 W	Non-return valve	Yes

	Extraction rate [CFM]	Noise level [dBA]
Speed level 1	210.5	53
Speed 2	317	62
Speed 3	437.5	69
Speed level 4	573.5	75

Electrical Connection


Electrical connection rating	495 W	Frequency (Hz)	60 Hz
Voltage	120 V	Power supply cable length	1000 "

Also available

Available colors	White, Black, Stainless steel, Anthracite, Yellow, Red, Orange	Available colors	KPF36UWH-BL-X-AN-YW-RD-OR
------------------	--	------------------	---------------------------

Optional accessories

Charcoal filter	FLTK-1
-----------------	--------



---

## Compatible Accessories

---



### FLTK-1

Round Charcoal filters (kit 2 pieces)



### KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

---

## Symbols glossary

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.