

# KPF36UWH

|                   |                                    |
|-------------------|------------------------------------|
| Product family    | Hood                               |
| Hood Type         | Decorative wall hood               |
| Design            | Chimney                            |
| Extraction        | Extraction                         |
| Material          | Stainless Steel + Painted Material |
| Type of steel     | Brushed                            |
| EAN code          | 8017709246297                      |
| Aesthetic         | Portofino                          |
| Colour            | White                              |
| Serigraphy colour | Silver                             |
| Logo              | Applied                            |





## Controls

|                 |               |                 |              |
|-----------------|---------------|-----------------|--------------|
| Control setting | Control knobs | Control knobs   | Portofino    |
| No. of controls | 2             | Controls colour | Steel effect |

## Program / Functions

|               |   |
|---------------|---|
| No. of speeds | 4 |
|---------------|---|

## Technical Features

|  |   |                                    |                 |
|--|---|------------------------------------|-----------------|
|  |  |                                    |                 |
| No. of lights  | 2   | No. of filters                     | 3               |
| Light type   | LED   | Anti-grease filters                | Stainless steel |
| Light Power  | 2 W   | Vent outlet                        | 5 7/8 "         |
| Light color temperature scale (°K)   | 4000 °K   | Minimum distance from GAS hob      | 750 "           |
| Free outlet maximum capacity   | 577.5 CFM   | Minimum distance from ELECTRIC hob | 650 "           |
| Motor power  | 455 W   | Non return valve                   | Yes             |

|         | Extraction rate IEC 61591 [CFM] | Noise level IEC 60704-2-13 [dBA] |
|---------|---------------------------------|----------------------------------|
| Speed 1 | 210.5                           | 53                               |
| Speed 2 | 317                             | 62                               |

|         |       |    |
|---------|-------|----|
| Speed 3 | 437.5 | 69 |
| Speed 4 | 573.5 | 75 |

## Electrical Connection


|                              |       |                           |        |
|------------------------------|-------|---------------------------|--------|
| Electrical connection rating | 495 W | Frequency (Hz)            | 60 Hz  |
| Voltage                      | 120 V | Power supply cable length | 1000 " |

## Also available

|                               |  |                   |                           |
|-------------------------------|--|-------------------|---------------------------|
| Alternative colours available | Black, Stainless steel, Anthracite, Yellow, Green, Red, Orange | Available colours | KPF36UBL-X-AN-YW-OG-RD-OR |
|-------------------------------|--|-------------------|---------------------------|

## Optional accessories

Charcoal filter      FLTK-1



---

## Compatible Accessories

---

FLT6U



KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

---

## Symbols glossary

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.