

# KPF36UX

|                |                                    |
|----------------|------------------------------------|
| Product family | Hood                               |
| Hood Type      | Decorative wall hood               |
| Design         | Chimney                            |
| Extraction     | Extraction                         |
| Material       | Stainless Steel + Painted Material |
| Type of steel  | Brushed                            |
| EAN code       | 8017709246303                      |
| Hood width     | 36 "                               |



## Aesthetics

|                  |                              |                           |                   |
|------------------|------------------------------|---------------------------|-------------------|
| Aesthetic Colour | Portofino<br>Stainless steel | Serigraphy colour<br>Logo | Silver<br>Applied |
|------------------|------------------------------|---------------------------|-------------------|



## Controls

|                 |               |                 |              |
|-----------------|---------------|-----------------|--------------|
| Control setting | Control knobs | Control knobs   | Portofino    |
| No. of controls | 2             | Controls colour | Steel effect |

## Programs / Functions

|               |   |
|---------------|---|
| No. of speeds | 4 |
|---------------|---|

## Technical Features

|  |   |                                    |                 |
|--|---|------------------------------------|-----------------|
|  |  |                                    |                 |
| No. of lights  | 2   | No. of filters                     | 3               |
| Light type   | LED   | Anti-grease filters                | Stainless steel |
| Light Power  | 2 W   | Vent outlet                        | 5 7/8 "         |
| Light color temperature scale (°K)   | 4000 °K   | Minimum distance from GAS hob      | 750 "           |
| Free outlet maximum capacity   | 577.5 CFM   | Minimum distance from ELECTRIC hob | 650 "           |
| Motor power  | 455 W   | Non return valve                   | Yes             |

|         | Extraction rate IEC 61591 [CFM] | Noise level IEC 60704-2-13 [dB(A)] |
|---------|---------------------------------|------------------------------------|
| Speed 1 | 210.5                           | 53                                 |
| Speed 2 | 317                             | 62                                 |
| Speed 3 | 437.5                           | 69                                 |
| Speed 4 | 573.5                           | 75                                 |

## Electrical Connection


|                              |       |                           |        |
|------------------------------|-------|---------------------------|--------|
| Electrical connection rating | 495 W | Frequency (Hz)            | 60 Hz  |
| Voltage                      | 120 V | Power supply cable length | 1000 " |

## Also available

|                               |  |                   |                            |
|-------------------------------|--|-------------------|----------------------------|
| Alternative colours available | White, Black, Anthracite, Yellow, Green, Red, Orange | Available colours | KPF36UWH-BL-AN-YW-OG-RD-OR |
|-------------------------------|--|-------------------|----------------------------|

## Optional accessories

Charcoal filter FLTK-1



---

## Not included accessories

---



**FLTK-1**

Round Charcoal filters (kit 2 pieces)



**KITALLFC**

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

## Symbols glossary (TT)

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.