

KPF36UX

Product family Hood

Hood Type Decorative wall hood

Design Chimney Extraction Extraction

Material Stainless Steel + Painted Material

Type of steel Brushed

8017709246303 **EAN** code

Hood width 36 "



Aesthetics

Serigraphy colour Portofino **Aesthetic** Silver Colour Stainless steel Logo Applied

Controls

Control knobs Control knobs Portofino Control setting No. of controls Controls colour Steel effect

Programs / Functions

No. of speeds 4

Technical Features



No. of filters No. of lights

Light type LED Anti-grease filters Stainless steel **Light Power** 2 W Vent outlet 5 7/8 "

750 " Light color temperature 4000 °K Minimum distance from GAS hob scale (°K)

Free outlet maximum 577.5 CFM Minimum distance from 650 " capacity **ELECTRIC hob**

Motor power 455 W Yes

Non return valve

SMEG SPA 2024-05-16



	Extraction rate IEC 61591 [CFM]	Noise level IEC 60704-2-13 [dB(A)]
Speed 1	210.5	53
Speed 2	317	62
Speed 3	437.5	69
Speed 4	573.5	75

Electrical Connection

Electrical connection

495 W

Frequency (Hz)

60 Hz 1000 "

rating Voltage

120 V

Power supply cable

length

Also available

Alternative colours availible

White, Black, Anthracite, Yellow, Green, Red, Orange **Available colours**


KPF36UWH-BL-AN-YW-


OG-RD-OR


Optional accessories

Charcoal filter

FLTK-1







SMEG SPA 2024-05-16



Not included accessories





Round Charcoal filters (kit 2 pieces)



KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

SMEG SPA 2024-05-16



Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

SMEG SPA 2024-05-16