

KPF36UX

| | |
|-------------------|------------------------------------|
| Product family | Hood |
| Hood Type | Decorative wall hood |
| Design | Chimney |
| Extraction | Extraction |
| Material | Stainless Steel + Painted Material |
| Type of steel | Brushed |
| EAN code | 8017709246303 |
| Hood width | 36 " |
| Aesthetic | Portofino |
| Colour | Stainless steel |
| Serigraphy colour | Silver |
| Logo | Applied |





Controls

| | | | |
|-----------------|---------------|-----------------|--------------|
| Control setting | Control knobs | Control knobs | Portofino |
| No. of controls | 2 | Controls colour | Steel effect |

Program / Functions

| | |
|---------------|---|
| No. of speeds | 4 |
|---------------|---|

Technical Features

| | | | |
|--|---|------------------------------------|-----------------|
|  |  | | |
| No. of lights | 2 | No. of filters | 3 |
| Light type | LED | Anti-grease filters | Stainless steel |
| Light Power | 2 W | Vent outlet | 5 7/8 " |
| Light color temperature scale (K) | 4000 K | Minimum distance from GAS hob | 750 " |
| Free outlet maximum capacity | 577.5 CFM | Minimum distance from ELECTRIC hob | 650 " |
| Motor power | 455 W | Non return valve | Yes |

| | Extraction rate IEC 61591 [CFM] | Noise level IEC 60704-2-13 [dBA] |
|---------|---------------------------------|----------------------------------|
| Speed 1 | 210.5 | 53 |
| Speed 2 | 317 | 62 |

| | | |
|---------|-------|----|
| Speed 3 | 437.5 | 69 |
| Speed 4 | 573.5 | 75 |

Electrical Connection



| | | | |
|------------------------------|-------|---------------------------|--------|
| Electrical connection rating | 495 W | Power supply cable length | 1000 " |
| Voltage | 120 V | Plug | No |
| Frequency (Hz) | 60 Hz | | |

Also available

| | | | |
|-------------------------------|--|-------------------|----------------------------|
| Alternative colours available | White, Black, Anthracite, Yellow, Green, Red, Orange | Available colours | KPF36UWH-BL-AN-YW-OG-RD-OR |
|-------------------------------|--|-------------------|----------------------------|

Optional accessories

| | |
|-----------------|--------|
| Charcoal filter | FLTK-1 |
|-----------------|--------|



Compatible Accessories

FLT6U



KITALLFC



Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.