

KPF48UAN

Product family Hood

Hood Type Decorative wall hood

Design Chimney Extraction Vented

Material Stainless steel

Stainless steel type Brushed

EAN code 8017709261696

Hood width 48 "

Aesthetics Portofino

Color Anthracite

Silkscreen color Black

Logo Applied



Controls

Control setting Control knobs Control knobs Portofino

No. of controls 2 Controls color Stainless steel effect

Program / Functions

Speed levels 4

Technical Features

~Ö*

No. of lights 4 No. of filters 4

Lighting LED Anti-grease filters Stainless steel

Light power 20 W Vent outlet 5 7/8 "
Light color temperature 4000 K Minimum distance from 750 "

scale (K) gas cooktop

Maximum extraction 577.5 CFM Minimum distance from 650 "

capacity at free mode electric cooktop

Motor power 455 W Non-return valve Yes

	Extraction rate [CFM]	Noise level [dBA]
Speed level 1	210.5	53
Speed 2	317	62
Speed 3	437.5	69
Speed level 4	573.5	69



Electrical Connection

Electrical connection

535 W

rating

Voltage 120 V

Frequency (Hz)
Power supply cable

60 Hz 1000 "

length

Also available

Available colors

White, Black, Stainless steel, Anthracite, Green,


Red, Orange

Available colors

KPF48UWH/BL/X/AN/OG/RD/OR

Optional accessories

Charcoal filter





Compatible Accessories

FLT6U





KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.