

KPF48UBL

| | |
|----------------|------------------------------------|
| Product family | Hood |
| Hood Type | Decorative wall hood |
| Design | Chimney |
| Extraction | Extraction |
| Material | Stainless Steel + Painted Material |
| Type of steel | Brushed |
| EAN code | 8017709261702 |
| Hood width | 48 " |



Aesthetics

| | | | |
|------------------|-----------------|------------------------|---------------|
| Aesthetic Colour | Portofino Black | Serigraphy colour Logo | Black Applied |
|------------------|-----------------|------------------------|---------------|



Controls

| | | | |
|-----------------|---------------|-----------------|--------------|
| Control setting | Control knobs | Control knobs | Portofino |
| No. of controls | 2 | Controls colour | Steel effect |

Programs / Functions

| | |
|---------------|---|
| No. of speeds | 4 |
|---------------|---|

Technical Features

| | | | |
|--|---|------------------------------------|-----------------|
|  |  | | |
| No. of lights | 4 | No. of filters | 4 |
| Light type | LED | Anti-grease filters | Stainless steel |
| Light Power | 20 W | Vent outlet | 5 7/8 " |
| Light color temperature scale (°K) | 4000 °K | Minimum distance from GAS hob | 750 " |
| Free outlet maximum capacity | 577.5 CFM | Minimum distance from ELECTRIC hob | 650 " |
| Motor power | 455 W | Non return valve | Yes |


| | Extraction rate IEC 61591 [CFM] | Noise level IEC 60704-2-13 [dB(A)] |
|---------|---------------------------------|------------------------------------|
| Speed 1 | 210.5 | 53 |
| Speed 2 | 317 | 62 |
| Speed 3 | 437.5 | 69 |
| Speed 4 | 573.5 | 75 |

Electrical Connection

| | | | |
|------------------------------|-------|---------------------------|--------|
| Electrical connection rating | 535 W | Frequency (Hz) | 60 Hz |
| Voltage | 120 V | Power supply cable length | 1000 " |

Also available

| | | | |
|-------------------------------|---|-------------------|---------------------------|
| Alternative colours available | White, Black, Stainless steel, Anthracite, Green, Red, Orange | Available colours | KPF48UWH/BL/X/AN/OG/RD/OR |
|-------------------------------|---|-------------------|---------------------------|



Not included accessories



FLTK-1

Round Charcoal filters (kit 2 pieces)



KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.