

KPF48UWH

Product family Hood

Hood Type Decorative wall hood

Design Chimney Extraction Extraction

Material Stainless Steel + Painted Material

Type of steel Brushed

EAN code 8017709261740

Hood width 48 "

Aesthetic Portofino

Colour White

Serigraphy colour Black

Logo Applied



650 "

Controls

Control settingControl knobsControl knobsPortofinoNo. of controls2Controls colourSteel effect

Program / Functions

No. of speeds 4

Technical Features

·Ö-



No. of lights 4 No. of filters 4

Light type LED Anti-grease filters Stainless steel

Light Power 20 W Vent outlet 5 7/8 "
Light color temperature 4000 K Minimum distance from 750 "

scale (K) GAS hob

Free outlet maximum 577.5 CFM Minimum distance from

capacity ELECTRIC hob

Motor power 455 W Non return valve Yes

	Extraction rate IEC 61591 [CFM]	Noise level IEC 60704-2- 13 [dBA]
Speed 1	210.5	53
Speed 2	317	62



Speed 3	437.5	69
Speed 4	573.5	75

Electrical Connection

Electrical connection

535 W

Frequency (Hz)

60 Hz

rating

Voltage 120 V

Power supply cable

1000 "

length

Also available

Alternative colours availible

White, Black, Stainless steel, Anthracite, Green,


Red, Orange

Available colours

KPF48UWH/BL/X/AN/OG/RD/OR

Optional accessories

Charcoal filter





Compatible Accessories

FLT6U





KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.