

# KPF48UX

## Product family

**Hood Type** Decorative wall hood

**Design** Chimney

**Extraction** Extraction

**Material** Stainless Steel + Painted Material

**Type of steel** Brushed

**EAN code** 8017709261757

**Hood width** 48 "

**Aesthetic** Portofino

**Colour** Stainless steel

**Serigraphy colour** Black

**Logo** Applied



## Controls

### Control setting

**No. of controls** 2

**Control knobs**

2

### Control knobs

**Controls colour**

Portofino

Steel effect

## Program / Functions

### No. of speeds

4

## Technical Features



### No. of lights

4

### No. of filters

4

### Light type

LED

Stainless steel

### Light Power

20 W

5 7/8 "

### Light color temperature scale (K)

4000 K  
577.5 CFM

Minimum distance from  
GAS hob

750 "  
650 "

### Free outlet maximum capacity

455 W

Minimum distance from  
ELECTRIC hob

### Motor power

Non return valve

Yes

	Extraction rate IEC 61591 [CFM]	Noise level IEC 60704-2-13 [dBA]
Speed 1	210.5	53
Speed 2	317	62

Speed 3	437.5	69
Speed 4	573.5	75

## Electrical Connection


Electrical connection rating	535 W	Power supply cable length	1000 "
Voltage	120 V	Plug	No
Frequency (Hz)	60 Hz		

## Also available

Alternative colours available	White, Black, Stainless steel, Anthracite, Green, Red, Orange	Available colours	KPF48UWH/BL/X/AN/OG/RD/OR
-------------------------------	---	-------------------	---------------------------

## Optional accessories

### Charcoal filter



## Compatible Accessories

---

FLT6U



KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

---

## Symbols glossary

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.