

# KPF9WH

|                   |                                    |
|-------------------|------------------------------------|
| Product family    | Hood                               |
| Hood Type         | Decorative wall hood               |
| Design            | Chimney                            |
| Extraction        | Extraction                         |
| Material          | Stainless Steel + Painted Material |
| Type of steel     | Brushed                            |
| EAN code          | 8017709236359                      |
| Hood width        | 90 cm                              |
| Aesthetic         | Portofino                          |
| Colour            | White                              |
| Serigraphy colour | Black                              |
| Logo              | Applied                            |





## Controls

|                 |               |                 |              |
|-----------------|---------------|-----------------|--------------|
| Control setting | Control knobs | Control knobs   | Portofino    |
| No. of controls | 2             | Controls colour | Steel effect |

## Program / Functions

|                 |   |
|-----------------|---|
| No. of speeds   | 3   |
| Intensive speed |  |

## Technical Features

|  |   |                                    |                 |
|--|---|------------------------------------|-----------------|
|  |  |                                    |                 |
| No. of lights  | 2   | No. of filters                     | 3               |
| Light type   | LED   | Anti-grease filters                | Stainless steel |
| Light Power  | 2 W   | Vent outlet                        | 150 mm          |
| Light color temperature scale (K)  | 4000 K  | Minimum distance from GAS hob      | 750 mm          |
| Free outlet maximum capacity   | 815 m <sup>3</sup> /h   | Minimum distance from ELECTRIC hob | 650 mm          |
| Motor power  | 275 W   | Non return valve                   | Yes             |

|         | Extraction rate IEC 61591 [m <sup>3</sup> /h] | Noise level IEC 60704-2-13 [dBA] |
|---------|---|----------------------------------|
| Speed 1 | 288   | 48                               |
| Speed 2 | 421   | 63                               |

|                 |     |    |
|-----------------|-----|----|
| Speed 3         | 630 | 67 |
| Intensive speed | 781 | 72 |

## Performance / Energy Label



|   |                       |   |                       |
|---|-----------------------|---|-----------------------|
| <b>Annual Efficiency Consumption (AEChood)</b>  | 40 kWh/a              | <b>Airbourne acoustical A-weighted sound Power Emission at minimum speed (SPEmin)</b> | 48 dBA                |
| <b>Energy efficiency class (EEC)</b>            | A+                    | <b>Airborne acoustical A-weighted sound Power Emission at maximum speed (SPEmax)</b>  | 67 dBA                |
| <b>Fluid Dynamic Efficiency (FDE)</b>           | 36,2                  | <b>Airbourne acoustical A-weighted sound power emission at boost speed (SPEboost)</b> | 72 dBA                |
| <b>Fluid Dynamic Efficiency class (FDEC)</b>    | A                     | <b>Time increase factor (F)</b>   | 1,00                  |
| <b>Lighting Efficiency (LE)</b>                 | 78,2 lux/W            | <b>Energy Efficiency Index</b>  | 40,3                  |
| <b>Lighting Efficiency Class (LEC)</b>          | A                     | <b>Measured air flow rate at best efficiency point (Qbep)</b>                         | 413 m <sup>3</sup> /h |
| <b>Grease Filtering Efficiency (GFE)</b>        | 78,5 %                | <b>Measured air pressure at best efficiency point (Pbep)</b>                          | 476 Pa                |
| <b>Grease Filtering Efficiency Class (GFEC)</b> | C                     | <b>Measured electric power input at best efficiency point (Wbep)</b>                  | 151 W                 |
| <b>Air flow at mininum speed (Qmin)</b>         | 288 m <sup>3</sup> /h | <b>Nominal Power consumption of the light system (WL)</b>                             | 2 W                   |
| <b>Air flow at maximum speed (Qmax)</b>         | 630 m <sup>3</sup> /h | <b>Average illumination of the light on the cooking surface (Emiddle)</b>             | 172 lux               |
| <b>Air flow at boost speed (Qboost)</b>         | 781 m <sup>3</sup> /h | <b>Sound power level at highest setting (Lwa)</b>                                     | 67 dBA                |

## Electrical Connection

|                                     |           |                                  |             |
|-------------------------------------|-----------|----------------------------------|-------------|
| <b>Electrical connection rating</b> | 277 W     | <b>Power supply cable length</b> | 1000 mm     |
| <b>Voltage</b>                      | 220-240 V | <b>Plug</b>                      | Not present |
| <b>Frequency (Hz)</b>               | 50-60 Hz  |                                  |             |

## Also available

|                                      |  |                          |  |
|--------------------------------------|--|--------------------------|--|
| <b>Alternative colours available</b> | Black, Stainless steel, Anthracite, Yellow, Green, Red, Orange | <b>Available colours</b> | KPF9BL-KPF9X-KPF9AN-KP9YW-KPF9OG-KPF9RD-KPF9OR |
|--------------------------------------|--|--------------------------|--|



---

## Compatible Accessories

---

### FLT6

Round Charcoal filters (kit 2 pieces)



### KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

---

## Symbols glossary

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



**A+:** Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



**Intensive/turbo setting:** when extra fast extraction is required.