

# KPFA9BL

Product family Hood

Hood Type Decorative wall hood

DesignChimneyExtractionExtraction

Material Stainless Steel + Painted Material

Type of steel Brushed

EAN code 8017709251499

Hood width 90 cm

Aesthetic Portofino

Colour Black

Serigraphy colour Silver

Logo Applied



### **Controls**

Control settingControl knobsControl knobsPortofinoNo. of controls2Controls colourSteel effect

## **Program / Functions**

No. of speeds Intensive speed

3 800ST

### **Technical Features**

Free outlet maximum





No. of lights 2 No. of filters 3

Light typeLEDAnti-grease filtersStainless steelLight Power2 WVent outlet150 mmLight color temperature4000 KMinimum distance from750 mm

scale (K) GAS hob

815 m³/h Minimum distance from 650 mm

capacity ELECTRIC hob

Motor power 275 W Non return valve Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704- 2-13 [dBA]
Speed 1	288	48
Speed 2	421	63



Speed 3	630	67
Intensive speed	781	72

## **Electrical Connection**

**Electrical connection** 

279 W

Frequency (Hz)
Power supply cable

50-60 Hz 1000 mm

rating Voltage

220-240 V


length

### Also available

Alternative colours availible

White, Stainless steel, Anthracite, Yellow, Green, Red, Orange **Available colours** 

KPFA9WH-X-AN-YW-OG-RD-OR





## **Compatible Accessories**

#### FLT6

Round Charcoal filters (kit 2 pieces)





#### **KITALLFC**

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes



## Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.