

KPRU36X

Product family	Hood
Hood Type	Integrated (semi) hood
Design	Canopy pro-style
Extraction	Extraction
Electronic control	Yes
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709338572
Aesthetic	Classica
Colour	Stainless steel
Finishing	Satin
Logo	Embossed





Controls







Control setting

Touch control

Program / Functions

No. of speeds	4
Intensive speed	
24h air filter function	
Auto-vent 2.0	




Technical Features

				No. of lights	2	No. of filters	2
				Light type	LED	Anti-grease filters	Stainless steel
				Light Power	1.3 W	Filter replacement indicator	Yes
				Dimmer mode	Yes	Vent outlet	5 7/8 "
				Light color temperature scale (°K)	3000 °K	Minimum distance from GAS hob	750 "
				Free outlet maximum capacity	599 CFM	Minimum distance from ELECTRIC hob	650 "
				Motor power	350 W	Non return valve	Yes

	Extraction rate IEC 61591 [CFM]	Noise level IEC 60704-2-13 [dBA]
Speed 1	213	54
Speed 2	325.5	63
Speed 3	454	70
Intensive speed	590.5	76

Electrical Connection

Electrical connection rating	353 W	Frequency (Hz)	60 Hz
Voltage	120 V	Power supply cable length	1000 "











Compatible Accessories

FLT6U



Symbols glossary

	24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.		Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.
	Warning light(s): to advise when filters need changing.		Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.
	Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.		Intensive/turbo setting: when extra fast extraction is required.
	Dimmering Lights		V-Condense System is a system that avoids the drips of condensation that you could show up on the hood within certain circumstance of use.

Benefit (TT)

V-Condense System

Maximum cleanliness and protection with inclined anti-condensation baffle filters in stainless steel and integrated fixed collector

The V-Condense system collects the condensation forming on the filters, channeling it into the fixed collector integrated into the hood, preventing dripping onto the hob and ensuring maximum operating efficiency.