# KPRU48X

| | |
|---|---|
| **Product family** | Hood |
| **Hood Type** | Under cabinet |
| **Design** | Canopy pro-style |
| **Venting type** | Vented |
| **Electronic control** | Yes |
| **Material** | Stainless steel |
| **Stainless steel type** | Brushed |
| **EAN code** | 8017709354664 |
| **Hood width** | 480 " |
| **Aesthetics** | Classic |
| **Color** | Stainless steel |
| **Finishing** | Satin |
| **Logo** | Embossed |



## Controls

| | |
|---|---|
| **Control setting** | Touch controls |

## Program / Functions

| | |
|---|---|
| **Speed levels** | 4 |
| **Intensive speed** | BOOST |
| **24h air replacement function** | 24 |
| **Auto-vent 2.0** | |

## Technical Features


| | |
|---|---|
| **No. of lights** | 2 |
| **Lighting** | LED |
| **Light power** | 1,3 W |
| **Dimmable light** | Yes |
| **Light color temperature scale (K)** | 3000 K |
| **Maximum extraction capacity at free mode** | 599 CFM |
| **Motor power** | 350 W |


| | |
|---|---|
| **No. of filters** | 3 |
| **Anti-grease filters** | Stainless steel |
| **Filter replacement indicator** | Yes |
| **Vent outlet** | 5 7/8 " |
| **Minimum distance from gas cooktop** | 750 " |
| **Minimum distance from electric cooktop** | 650 " |
| **Non-return valve** | Yes |


| | Extraction rate [CFM] | Noise level [dBA] |
|---|---|---|
| Speed level 1 | 213 | 54 |
| Speed 2 | 325.5 | 63 |
| Speed 3 | 454 | 70 |
| Intensive speed | 590.5 | 76 |

## Electrical Connection

| | | | |
|---|---|---|---|
| **Electrical connection rating** | 353 W | **Power supply cable length** | 1000 " |
| **Voltage** | 120 V | **Plug** | No |
| **Frequency (Hz)** | 60 Hz | | |



## Compatible Accessories

**FLT6U**



# Symbols glossary



24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Warning light(s): to advise when filters need changing.



Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.



Dimmering Lights



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.




Intensive/turbo setting: when extra fast extraction is required.



V-Condense System is a system that avoids the drips of condensation that you could show up on the hood within certain circumstance of use.