

# KS90XT

Product family	Hood
Hood Type	Decorative wall hood
Design	T flat
Extraction	Extraction
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709288860
Hood width	90 cm



## Aesthetics

Aesthetic	Universale	Finishing	Brushed
Colour	Stainless steel	Logo	Embossed



## Controls

Control setting	Buttons
-----------------	---------

## Programme / Functions

No. of speeds	3
---------------	---

## Technical Features

			
No. of lights	2	No. of filters	3
Light type	LED	Anti-grease filters	Aluminium
Light Power	1 W	Vent outlet	150 mm
Light color temperature scale (°K)	3000 °K	Minimum distance from GAS hob	750 mm
Free outlet maximum capacity	700 m³/h	Minimum distance from ELECTRIC hob	650 mm
Motor power	250 W	Non return valve	Yes


	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dB(A)]
Speed 1	210	37
Speed 2	396	56
Speed 3	726	72

## Electrical Connection

Electrical connection rating	252 W	Frequency (Hz)	60 Hz
Voltage	120 V	Power supply cable length	1500 mm

## Optional accessories


Charcoal filter FLT4



---

## Not included accessories

---



FLT4

Charcoal filter Kit 1 piece

---

## Symbols glossary (TT)

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.