KS90XT

Product family	Hood
Hood Type	Decorative wall hood
Design	T flat
Extraction	Extraction
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709288860
Hood width	90 cm
Aesthetic	Universale
Colour	Stainless Steel
Finishing	Brushed
Logo	Embossed



Controls

Control setting	Buttons

Program / Functions

No. of speeds	3

Technical Features

No. of lights	2	**No. of filters**	3
Light type	LED	**Anti-grease filters**	Aluminium
Light Power	1 W	**Vent outlet**	150 mm
Light color temperature (K)	3000 K	**Minimum distance from GAS hob**	750 mm
Free outlet maximum capacity	700 m³/h	**Minimum distance from ELECTRIC hob**	650 mm
Motor power	250 W	**Non return valve**	Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	210	37
Speed 2	396	56


Speed 3	726	72

Electrical Connection


Electrical connection rating	252 W	**Power supply cable length**	1500 mm
Voltage	120 V	**Plug**	Not present
Frequency (Hz)	60 Hz		

Optional accessories

Charcoal filter FLT4



Compatible Accessories



FLT4

Charcoal filter Kit 1 piece

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.