

KS90XT

Product family

Hood

Hood Type

Decorative wall hood

Design

T flat

Extraction

Extraction

Material

Stainless steel

Type of steel

Brushed

EAN code

8017709288860

Hood width

90 cm

Aesthetic

Universale

Colour

Stainless steel

Finishing

Brushed

Logo

Embossed



Controls

Control setting

Buttons

Program / Functions

No. of speeds

3

Technical Features



No. of lights

2

No. of filters

3

Light type

LED

Anti-grease filters

Aluminium

Light Power

1 W

Vent outlet

150 mm

Light color temperature scale (K)

3000 K

Minimum distance from GAS hob

750 mm

Free outlet maximum capacity

700 m³/h

Minimum distance from ELECTRIC hob

650 mm

Motor power

250 W

Non return valve

Yes

	Extraction rate IEC 61591 [m ³ /h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	210	37
Speed 2	396	56


Speed 3	726	72
---------	-----	----

Electrical Connection

Electrical connection rating	252 W	Power supply cable length	1500 mm
Voltage	120 V	Plug	Not present
Frequency (Hz)	60 Hz		

Optional accessories

Charcoal filter FLT4





Compatible Accessories



FLT4

Charcoal filter Kit 1 piece

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.