

KSE110AP9

Product family Hood

Hood Type Decorative wall hood

DesignT flatExtractionExtractionMaterialPainted materialEAN code8017709183820

Hood width 110 cm



Aesthetics

AestheticUniversaleSerigraphy colourBlackColourCreamLogoEmbossed

Controls

Control setting Buttons Led color White

Programs / Functions

No. of speeds Time-setting options

4 (©)

Technical Features



No. of lights2No. of filters3Light typeHalogenAnti-grease filtersStainless steel

Light Power 20 W Filter replacement Yes

Free outlet maximum 707 m³/h indicator

capacityVent outlet150 mmMotor power215 WNon return valveYes

SMEG SPA 22/11/2024



	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dBA]
Speed 1	255	44
Speed 2	333	51
Speed 3	437	57
Speed 4	665	68

Electrical Connection

Electrical connection

rating

255 W

Current Voltage 15 A 220-240 V Frequency (Hz) Power supply cable

length

50-60 Hz

1500 mm

Also available

Alternative colours

availible

Black, Stainless steel

Available colours

KSE110BL, KSE110X

Optional accessories

Charcoal filter

FLT4

SMEG SPA 22/11/2024



Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Switch off automatically: A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Warning light(s): to advise when filters need changing.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

SMEG SPA 22/11/2024